

Disponer 9220

Wetting and Dispersing Agent

DESCRIPTION

Disponer 9220 is a copolymer with acidic groups, it's particularly effective wetting to reduce viscosity for filler or pigment in coating system.

TYPICAL PROPERTIES

These values are used as reference. For detailed product specifications, please contact our distributor or sales department.

Composition	: solution of a copolymer with acidic groups
Appearance	: yellow clear liquid
Non-volatile content	: 46 - 50%
Solvent	: solvent naphtha / propylene glycol monomethyl ether acetate
Specific gravity	: 1.00 - 1.04
Refractive index	: 1.455 - 1.465 (25°C)

FEATURES

- Is an excellent wetting and dispersing agent for stabilize the inorganic pigment dispersion in coating system.
- Add Disponer 9220 could provide yellowing resistance for coating film.

APPLICATIONS

- ready paint
- epoxy paint
- polyester / melamine
- acrylic / melamine
- alkyd / melamine
- 2K polyurethane

DOSAGE & USE

- 2 - 5% based on pigment .
- It is suggested to test at various dosages on resin to obtain optimum results.
- Please check the optimum dosage and test compatibility before use.

PACKAGE

Net Weight: 180 kg / 25 kg

STORAGE

- Keep away from sources of ignition and heat, keep container tightly closed in a dry well-ventilated-place.
- Stored between 10°C and 40°C.
- Below 10°C, appearance may be cloudy or separation, please heat(water bath) to clear then stir ti uniform.

SAFETY

- As it contains a solvent, the product requires special care in handling.
- Avoid eye and skin contact.
- For further information please check MSDS.

The data presented is the result of careful and extensive research. However, since the actual conditions under which the materials may be used are beyond our control, no warranty of any kind, expressed or implied, concerning the use of the products is made.