

# Disponer 9250

## Wetting and Dispersing Agent

### DESCRIPTION

Disponer 9250 is a copolymer with acidic groups, it is particularly effective in the wetting of inorganic pigment or filler therefore reduces viscosity of coating system.

### TYPICAL PROPERTIES

These values are used as reference. For detailed product specifications, please contact our distributor or sales department.

Composition	: solution of a copolymer with acidic groups
Appearance	: yellow liquid
Non-volatile content	: 48.5 - 51.5%
Specific gravity	: 0.995 - 1.045
Refractive index	: 1.455 - 1.465 (25°C)

### FEATURES

- Disponer 9250 is an excellent wetting and dispersing agent for the stabilization of inorganic pigments in coating system.
- Disponer 9250 does not cause yellowing of paint film.

### APPLICATIONS

- acrylic PU
- acrylic / melamine
- car refinish
- coil coatings

### DOSAGE & USE

- Inorganic pigment : 2 - 5% based on pigment.
- Organic pigment : 2 - 5% based on pigment.
- Incorporated before grinding and dispersed with pigment to achieve optimum effect.
- Please dilute with solvent before use.
- Please check the optimum dosage and test compatibility before use.

### PACKAGE

Net Weight: 200 kg / 25 kg

### STORAGE

- Keep away from sources of ignition and heat.
- Keep container tightly closed in a dry and well-ventilated place.
- Stored between 10°C and 40°C.
- Below 18°C, appearance may be cloudy or separation, please heat (water bath) to clear then stir uniform.

### SAFETY

- As it contains a solvent, the product requires special care in handling.
- Avoid any eye and skin contact.
- For further information please check MSDS.

The data presented is the result of careful and extensive research. However, since the actual conditions under which the materials may be used are beyond our control, no warranty of any kind, expressed or implied, concerning the use of the products is made.